

SECTION 1: Product identifier

1.1. Product identifier

Product form : Mixture
Product name : GRASS LINE MARKING PAINT-ROLLER-WHITE
Product code : 3009 -WHITE

1.2. Other means of identification

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Coatings and paints, thinners, paint removers

1.4. Supplier's details

Endura Paint PTY LTD
Unit 2/61 Miguel Road
Bibra Lake WA 6163 - Australia
T +61 (08) 9418 2999
www.phoenixpaints.com.au

1.5. Emergency phone number

Emergency number : In the event of an emergency involving dangerous goods: In Australia call CHEMTREC at Local (Sydney) +62 2 9037 2994 or Toll Free 1800 862 115. In New Zealand call CHEMTREC at Local (Auckland) +64 9-801 0034 or Toll Free 0800 425 459 24 hours/7days (Account Name Endura Paint Pty Ltd.)

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Carcinogenicity, Category 2 H351

2.2. Label elements

Hazard pictograms (GHS AU) :



Signal word (GHS AU) : Warning
Contains : titanium(IV) oxide (5-10 %)
Hazard statements (GHS AU) : H351 - Suspected of causing cancer
Precautionary statements (GHS AU) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

Name	CAS-No.	compound type	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
titanium(IV) oxide			5-10	Carc. 2, H351 Aquatic Acute 3, H402

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: No effects known.
Symptoms/effects after skin contact	: May cause moderate irritation.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--------------------------------------------------

5.2. Special hazards arising from the substance or mixture

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	------------------------------------------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
-------------------------	---------------------------------------------------------------------------------------------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
--------------------	-----------------------------------------------------------------

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

titanium(IV) oxide		
USA - ACGIH	Local name	Titanium dioxide

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

titanium(IV) oxide		
USA - ACGIH	ACGIH OEL TWA	10 mg/m ³
USA - ACGIH	Remark (ACGIH)	LRT irr; A3

Exposure limit values for the other components

8.2. Monitoring

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls : Avoid release to the environment.

9.1. SECTION 9: Physical and chemical properties

Physical state : Liquid

No data availableColour : Mixture contains one or more component(s) which have the following colour(s):
White Colourless Yellow to amber Colourless or white Pure substance: white Unpurified:
coloured White to grey Colourless to white White to yellow-brown Blue-green

Odour : Odour threshold is subjective and inadequate to warn for overexposure.
Mixture contains one or more component(s) which have the following odour:
Odourless Irritating/pungent odour Characteristic odour Almost odourless

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point : Not applicable

Boiling point : 100 °C

Flash point : > 60 °C

Auto-ignition temperature : No data available

Flammability : No data available

Vapour pressure : No data available

Relative density : No data available

Density : Density : 1.125 g/cm³

Solubility : No data available

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity : No data available

Explosive properties : No data available

Explosive limits : No data available

Minimum ignition energy : No data available

Fat solubility : No data available

Percent Solids (Weight) : 22.15 %

Percent Solids (Volume) : 12.555 %

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Percent Volatile (Weight)	: 77.85 %
Percent Volatile (Volume)	: 87.445 %

10.1. SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. SECTION 11: Toxicological information

Likely routes of exposure	: Dermal. Ingestion. Skin and eyes contact
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

titanium(IV) oxide	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

GRASS LINE MARKING PAINT-ROLLER-WHITE	
Density	1.125 g/cm ³

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

polyethylene glycol monooleate (9004-96-0)	
EC50 - Crustacea [1]	170 mg/l (48 h, Daphnia magna)

pentapotassium triphosphate (13845-36-8)	
LC50 - Fish [1]	1850 mg/l (AFNOR, 24 h, Danio rerio, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (EPA OTS 797.1930, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

tetrapotassium pyrophosphate, anhydrous (7320-34-5)	
LC50 - Fish [1]	> 750 mg/l (LC50; 48 h)

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

dipotassium hydrogen phosphate, anhydrous (7758-11-4)	
LC50 - Fish [1]	> 900 mg/l (48 h, <i>Leuciscus idus</i> , Static system)
titanium(IV) oxide	
LC50 - Fish [1]	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, Nominal concentration)
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, <i>Salmo trutta</i> , Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, <i>Daphnia magna</i> , Literature study)
silicon dioxide, amorphous (7631-86-9)	
LC50 - Fish [1]	> 10000 mg/l (96 h, <i>Brachydanio rerio</i> , Literature)
EC50 - Crustacea [1]	> 10000 mg/l (24 h, <i>Daphnia magna</i> , Literature)
zirconium dioxide (1314-23-4)	
LC50 - Fish [1]	> 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; <i>Brachydanio rerio</i> ; Static system; Fresh water; Experimental value)
EC50 - Crustacea [1]	> 100 mg/l (EC50; EU Method C.2; 48 h; <i>Daphnia magna</i> ; Static system; Fresh water; Experimental value)
BCF - Other aquatic organisms [1]	0.64 (BCF; 24 h; <i>Chlorella</i> sp.; Fresh water)
Threshold limit - Algae [1]	> 200 mg/l (NOEC; Other; 15 days; <i>Chlorella vulgaris</i> ; Static system; Fresh water; Read-across)
Threshold limit - Algae [2]	> 100 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; <i>Desmodesmus subspicatus</i> ; Static system; Fresh water; Read-across)
Propylene Glycol (57-55-6)	
LC50 - Fish [1]	51600 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Experimental value)
LC50 - Fish [2]	40613 mg/l (Other, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Experimental value)
ErC50 algae	24200 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, GLP)
BCF - Other aquatic organisms [1]	0.09
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Experimental value, EU Method A.8: Partition Coefficient, 20.5 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.46 (log Koc, Calculated value)
Texanol (EN250) (25265-77-4)	
LC50 - Fish [1]	30 mg/l (96 h, <i>Pimephales promelas</i> , Fresh water)
EC50 - Crustacea [1]	147.8 mg/l (48 h, <i>Daphnia</i> sp.)
Partition coefficient n-octanol/water (Log Pow)	3.47 (Experimental value)
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
EC50 - Crustacea [1]	0.007 mg/l (48 h, <i>Acartia tonsa</i> , Salt water, Experimental value, GLP)
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), <i>Lepomis macrochirus</i> , Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	0.75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)
magnesium nitrate (10377-60-3)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, <i>Oncorhynchus mykiss</i> , Static system, Fresh water, Read-across, Lethal)
EC50 - Crustacea [1]	490 mg/l (48 h, <i>Daphnia magna</i> , Fresh water, Read-across)
copper(II) nitrate (3251-23-8)	
LC50 - Fish [1]	38.4 – 256.2 µg/l (96 h, <i>Pimephales promelas</i> , Flow-through system, Fresh water, Read-across)
EC50 - Crustacea [1]	33.8 µg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 48 h, <i>Daphnia magna</i> , Static system, Fresh water, Weight of evidence)
BCF - Fish [1]	200 – 667 (Pisces, Cu ion)
BCF - Other aquatic organisms [1]	471 (168 h, <i>Daphnia magna</i> , Cu ion)

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

copper(II) nitrate (3251-23-8)

BCF - Other aquatic organisms [2]	2400 (168 h, Daphnia magna, Cu ion)
-----------------------------------	-------------------------------------

OMYACARB (5-BA) (1317-65-3)

LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature)

12.2. Persistence and degradability

titanium(IV) oxide

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

titanium(IV) oxide

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

12.4. Mobility in soil

titanium(IV) oxide

Ecology - soil	Low potential for mobility in soil.
----------------	-------------------------------------

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

GRASS LINE MARKING PAINT-ROLLER-WHITE

Fluorinated greenhouse gases	False
------------------------------	-------

titanium(IV) oxide

Fluorinated greenhouse gases	False
------------------------------	-------

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. Proper Shipping Name - Addition

14.3. Transport hazard class(es)

ADG

Transport hazard class(es) (ADG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Marine pollutant : No

GRASS LINE MARKING PAINT-ROLLER-WHITE

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

14.6. Special precautions for user

Specific storage requirement : No data available

Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) : Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

15.2. International agreements

SECTION 16: Other information

Revision date : 15/11/2023

Classification:

Carc. 2	H351
---------	------

Full text of H-statements:

Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
H351	Suspected of causing cancer
H402	Harmful to aquatic life

SDS Australia (Phoenix)